Third Semester B.E. Degree Examination, June/July 2016 **Engineering Mathematics - III**

Time: 3 hrs.

Max. Marks: 100

Note: Answer any FIVE full questions, selecting atleast TWO questions from each part.

- a. Find the Fourier series for the function $f(x) = x(2\pi x)$ in $0 \le x \le 2\pi$. Hence deduce that (07 Marks)
 - b. Find the half-range cosine series for the function $f(x) = (x 1)^2$ in 0 < x < 1.
 - c. Obtain the constant term and the co-efficient of the 1st sine and cosine terms in the Fourier series of y as given in the following table.

X		_	_		1 1 1		
X	0	1	2	3	4	15/	
У	9	18	24	28	26	20	

a. Solve the integral equation:

$$\int_{0}^{\infty} f(\theta) \cos \alpha \, \theta \, d\theta = \begin{cases} 1 - \alpha, & 0 \le \alpha \le 1 \\ 0, & \alpha > 1 \end{cases}. \text{ Hence evaluate } \int_{0}^{\infty} \frac{\sin^{2} t}{t^{2}} \, dt \, . \tag{67 Marks}$$

b. Find the Fourier transform of $f(x) = e^{-|x|}$.

(06 Marks)

Find the infinite Fourier cosine transform of e

(07 Marks)

- Solve two dimensional Laplace equation $u_{xx} + u_{yy} = 0$ by the method of separation of
 - Obtain the D'Alembert's solution of the wave equation $u_{tt} = C^2 u_{xx}$ subject to the conditions u(x, 0) = f(x) and $\frac{\partial u}{\partial t}(x, 0) = 0$. (06 Marks)
 - c. Solve the boundary value problem $\frac{\partial u}{\partial t} = c^2 \frac{\partial^2 u}{\partial x^2}$, $0 < x < \ell$ subject to the conditions

$$\frac{\partial u}{\partial x}(0,t) = 0; \quad \frac{\partial u}{\partial x}(\ell,t) = 0, \quad u(x,0) = x. \tag{07 Marks}$$

a. Find the equation of the best fit straight line for the following data and hence estimate the value of the dependent variable corresponding to the value of the independent variable x (07 Marks) with 30.

Solve by graphical method:

Max
$$Z = x + 1.5 y$$

Subject to the constraints $x + 2y \le 160$

$$3x + 2y \le 240$$

$$x \ge 0$$
; $y \ge 0$.

(06 Marks)

Solve by simplex method:

$$\max z = 3x + 5y$$

subject to $3x + 2y \le 18$

$$x \le 4$$

$$x, y \ge 0$$
.

(07 Marks)

PART - B

a. Using the method of false position, find a real root of the equation $x \log_{10} x - 1.2 = 0$, correct to 4 decimal places.

By relaxation method, solve:

$$10x + 2y + z = 9$$
; $x + 10y - z = -22$;

-2x + 3y + 10z = 22.

c. Find the largest Eigen value and the corresponding Eigen vector for the matrix (06 Marks)

-1 using Rayleigh's power method, taking $x_0 = [1 \ 1 \ 1]^T$. Perform 5 iterations.

(07 Marks)

6 a. Find the cubic polynomial by using Newton's forward interpolation formula which takes the

X	0	1	2	3
V	1	2	1	10

Hence evaluate f(4).

Using Lagrange's formula, find the interpolating polynomial that approximate the function described by the following table.

cuore.				l pu
X	0	1	2	5
f(x)	2	3	12	147

Hence find f(3).

(06 Marks)

using Weddler's rule by taking 7 ordinates.

(07 Marks)

a. Solve $u_{xx} + u_{yy} = 0$ in the following square Mesh. Carry out two iterations.

(07 Marks)




Fig. Q7(a)

b. The transverse displacement of a point at a distance x from one end to any point 't' of a vibrating string satisfies the equation : $\frac{\partial^2 u}{\partial t^2} = 25 \frac{\partial^2 u}{\partial x^2} \text{ with boundary condition } u(0, t) = 0$ $u(5, t) = 0 \text{ and initial condition } u(x, 0) = \begin{cases} 20x & \text{for } 0 \le x \le 1 \\ 5(5-x) & \text{for } 1 \le x \le 5 \end{cases}$ and $u_t(x, 0) = 0$ solve by

taking h = 1, k = 0.2 upto t = 1.

Find the solution of the equation $u_{xx}=2u_t$ when $u(0,\,t)=0$ and $u(4,\,t)=0$ and $u(x,\,0)=0$ x(4-x) taking h = 1. Find values upto t = 5.

Find the Z – transformation of the following : i) $3n-4\sin\frac{\pi}{4}+5a^2$ ii) $\frac{a^ne^{-a}}{n!}$. (07 Marks)

Find the inverse Z – transformation of $\frac{4z^2 - 2z}{z^3 + 5z^2 + 8z - 4}$. (06 Marks) Solve the difference equation : $y_{n+2} + 6y_{n+1} + 9y_n = 2^n$; given $y_0 = y_1 = 0$ using

USN

Third Semester B.E. Degree Examination, June/July 2016 **Advanced Mathematics - I**

Time: 3 hrs.

Max. Marks:100

Note: Answer any FIVE full questions.

a. Express the complex number

 $\frac{(1+i)(1+3i)}{(1+5i)}$ in the form a + ib.

(06 Marks)

b. Find the modulus and amplitude of $1 + \cos\theta + i\sin\theta$.

c. Find the cube root of 1 - i.

(07 Marks) (07 Marks)

a. Find the n^{th} derivative of $e^{ax} \cos(bx + c)$.

(06 Marks)

b. Find the nth derivative of $\frac{6x}{(x-2)(x+2)(x-1)}$

(07 Marks)

c. If $y = \sin^{-1}x$, prove that $(1 - x^2)y_{n+2} - (2n + 1)x y_{n+1} - n^2y_n = 0$.

(07 Marks)

a. Find the angle of intersection of the curves $r^2 \sin 2\theta = a^2$, $r^2 \cos 2\theta = b^2$.

(06 Marks)

Find the nodal equation of the curve $r(1 - \cos\theta) = 2a$.

- (07 Marks)
- c. Expand log (secx) upto the term containing x⁴ using Maclaurin's series.

(07 Marks)

4 a. If $u = x^3 - 3xy^2 + x + e^x \cos y + 1$, show that $u_{xx} + u_{yy} = 0$.

(06 Marks)

b. If $u = f\left(\frac{x}{y}, \frac{y}{z}, \frac{z}{x}\right)$, prove that $xu_x + yu_y + zu_z = 0$.

(07 Marks)

c. Find $\frac{\partial(u,v,w)}{\partial(x,y,z)}$, where $u=x+y+z,\ v=y+z,\ w=z.$

(06 Marks)

(07 Marks)

5 a. Obtain reduction formula for $\int \cos^n x \, dx$, where n is positive integer.

(07 Marks)

b. Evaluate $\int_{0}^{2} \frac{x^4}{\sqrt{4-x^2}} dx$. c. Evaluate $\int\limits_{-c}^{c}\int\limits_{-b}^{b}\int\limits_{-a}^{a}(x^2+y^2+z^2)\,dz\,dy\,dx\,.$

(07 Marks)

Important Note: 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.

2. Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice

MATDIP301

6 a. Prove that: i)
$$\Gamma(n+1) = n \Gamma(n)$$
 and ii) $\Gamma(n+1) = n!$ for a positive integer n. (06 Marks)

b. Prove that
$$\beta(m, n) = \frac{\Gamma(m) \Gamma(n)}{\Gamma(m+n)}$$
. (07 Marks)

c. Show that
$$\int_{0}^{\pi/2} \frac{d\theta}{\sqrt{\sin \theta}} \cdot \int_{0}^{\pi/2} \sqrt{\sin \theta} \ d\theta = \pi \ . \tag{07 Marks}$$

7 a. Solve
$$\frac{dy}{dx} = (9x + y + 1)^2$$
. (06 Marks)
b. Solve $ye^{xy} dx + (xe^{xy} + 2y) dy = 0$. (07 Marks)
c. Solve $\frac{dy}{dx} + y \cot x = \cos x$. (07 Marks)
8 a. Solve $\frac{d^2y}{dx^2} - 6\frac{dy}{dx} + 9y = 5e^{-2x}$. (06 Marks)
b. Solve $(D^2 - 4D + 13)y = \cos 2x$. (07 Marks)
c. Solve $(D^2 + 2D + 1)y = x^2 + 2x$. (07 Marks)

b. Solve
$$ye^{xy} dx + (xe^{xy} + 2y) dy = 0$$
. (07 Marks)

c. Solve
$$\frac{dy}{dx} + y \cot x = \cos x$$
. (07 Marks)

b. Solve
$$\frac{dy}{dx} + y \cot x = \cos x$$
. (06 Marks)

8 a. Solve $\frac{d^2y}{dx^2} - 6\frac{dy}{dx} + 9y = 5e^{-2x}$. (06 Marks)

b. Solve $(D^2 + 4D + 13)y = \cos 2x$. (07 Marks)

c. Solve $(D^2 + 2D + 1)y = x^2 + 2x$. (07 Marks)

b. Solve
$$(D^2 - 4D + 13)y = \cos 2x$$
. (07 Marks)

c. Solve
$$(D^2 + 2D + 1)y = x^2 + 2x$$
. (07 Marks)

USN							10ME32A/AU32A/MT32
	Th	ird :	Seme	ester	B.E	. De	gree Examination, June/July 2016

Material Science and Metallurgy

Time: 3 hrs.

Max. Marks: 100

Note: 1. Answer FIVE full questions, selecting at least TWO questions from each part.
2. Missing data may be assumed suitably, if any.

		g and any of assumed surface, y any.	and a
		$\underline{PART} - \underline{A}$	
1	a.	Define APF. With a neat sketch obtain an expression for density packing fa	ctor of HCP
	1.	structure.	(08 Marks)
	b.	Give brief classification of crystal defects. Explain them briefly.	(06 Marks)
	C.	List the factors affecting diffusion. Explain them briefly.	(06 Marks)
2	a.	Define engineering stress and strain and true stress and true strain. Establish the	relationship
	1	between true strain and engineering strain.	(07 Marks)
	b.	List and explain the mechanical properties in elastic and plastic region.	(07 Marks)
	C.	Define CRSS? Obtain the expression for the same.	(06 Marks)
3	a.	Explain: i) Cup and cone fracture ii) Ductile to Brittle transition.	(08 Marks)
	b.	What are the different fatigue protection methods? Explain briefly.	(06 Marks)
	C.	What is stress relaxation? Derive an expression for the same.	(06 Marks)
4	a.	What is solid solution? With neat sketches explain different types of solid solution	on.
			(06 Marks)
	b.	Explain Hume-Rothary rules and Gibbs phase rule.	(06 Marks)
	c.	Differentiate Homogeneous and Heterogeneous nucleation. How do you comput	e the critical
		size of nucleus and activation energy for the homogeneous nucleation?	(08 Marks)
		PART – B	
5	a.	A binary alloy of composition 60% A and 40% B consists two phases namely liqu	id and solid
		at a particular temperature. The composition of solid phase is 23%B and that of	liquid phase
		is 68% B. Estimate the amount of solid and liquid phases is the alloy.	(08 Marks)
	b.	Draw Fe - Fe ₃ C diagram and show all phases, fields, temperature and composition	on. Write all
		invariant reactions. Also explain the solidification of steel containing 0.4%C.	(12 Marks)
6	a.	Explain TTT diagram (for 0.8%C steel) by super imposing the cooling curves on	it.
	-	3	(12 Marks)
1	b.	Differentiate between:	
1		i) Austempering and martempering	

ii) Annealing and Normalising

(08 Marks)

a. Give composition, micro structure, properties and applications of different types of cast – Irons.

(12 Marks)

b. Write a note on Magnesium alloys and Titanium alloys.

(08 Marks)

a. Define composite. Give brief classification of composites.b. With neat sketch explain production of composites, by pultrusion process.

(06 Marks) (08 Marks)

c. Enumerate the merits, demerits and application of composites.

(06 Marks)

. .

USN			10ME/AU33

Third Semester B.E. Degree Examination, June/July 2016 Basic Thermodynamics

Time: 3 hrs.

Max. Marks: 100

Note: 1. Answer FIVE full questions, selecting at least TWO questions from each part. 2. Use of thermodynamic charts and Tables is permitted,

PART-A

- Distinguish between:
 - Macroscopic and Microscopic approaches 1)
 - Diathermic and adiabatic walls
 - iii) Intensive and extensive properties
 - Thermal equilibrium and Mechanical equilibrium
 - Quasistatic and actual process

vi) Point function and path function.

(12 Marks)

- b. The readings t_A and t_B of two Celsius thermometers A and B agree at the ice point (0°C) and steam point (100°C), but else where they are related by the equation $t_A = L + mt_B + nt_B^2$ where ℓ , m and n are constants, when both the thermometers are immersed in a well stirred bath, A registers 51°C whereas B registers 50°C. Determine the reading on B when A registers 25°C.
- Starting from a common stage point, draw the following process on the PV plane and derive an expression for the work done in each case
 - i) Isobaric process
 - ii) Isothermal process
 - iii) Polytropic process.

(09 Marks)

- Distinguish between heat and work in thermodynamics.
- (94 Marks) A spherical balloon has an initial diameter of 25cm and contains air at 1.2 bar. Because of heating the diameter of the balloon increases to 30cm and during the heating process the pressure is found to be proportional to the diameter. Calculate the work done during the
- State First Law of Thermodynamics for a process and show that energy is a property of the
 - Derive the steady flow energy equation for a single stream of fluid entering and a single stream of fluid leaving the control volume.
 - The following expression gives the specific heat at constant pressure of a gas that undergoes

a non flow constant pressure process $c_p = \left[2.5 + \frac{60}{T+40} \right] \text{kJ/kg K}$, where T is in °C.

The pressure during the process is maintained at 2 bar and the volume changes from 0.3 to 0.56 m³/kg. The corresponding change in temperature is from 25°C to 300°C. Determine

- i) Work done and heat added
- ii) Change in internal energy and enthalpy.

(08 Marks)

- State and prove that Kelvin Planck and clausius statements of second Law of Thermodynamics are equivalent.
 - A heat engine working on Carnot cycle absorbs heat from three thermal reservoirs at 1000K, 800K and 600K. The engine does 10kW of network and rejects 400kJ/min of heat to a heat sink at 300K. If the heat supplied by the reservoir at 1000K is 60% of the heat supplied by the reservoir at 600K. Make calculations for the quantity of heat absorbed by each reservoir. (08 Marks)

PART-B

a. State and prove Clausius inequality.

(08 Marks)

b. Show that entropy of an isolated system either increases or in the limit remains constant.

(06 Marks)

- c. A lump of steel of mass 8kg at 1000K is dropped in 80kg of oil at 300K. Make calculations for the entropy change of steel, the oil and the universe. Take specific heats of steel and oil as 0.5kJ/Kg K and 3.5 kJ/kg K respectively. (06 Marks)
- a. With a neat sketch explain the measurement of dryness fraction of steam by using throttling calorimeter. Also indicate throttling process on TS and HS diagram. (08 Marks)
 - b. A vessel of volume 0.04m³ contains a mixture of saturated water and saturated steam at a temperature of 240°C. The mass of the liquid present is 8kg. find the pressure, the mass, the specific volume, the enthalpy, the entropy and the internal energy. (10 Marks)
 - c. Define the following:

i) Pure substance i

ii) Critical point.

(02 Marks)

- 7 a. Explain the following:
 - i) Maxwell's relations

ii) Clausius - Clapeyron equation.

(10 Marks)

- b. 1kg of air undergoes a cyclic process comprising three process 1-2, 2-3, and 3-1. At state 1, the pressure and temperature are 1MPa and 27°C. 1-2 is an constant pressure process, 2-3 is adiabatic process and 3-1 is a isothermal process. At state 3, P=100KPa.
 - i) Sketch the cycle on PV Coordinates
 - Find the heat and work interactions in each the three processes and the net work per cycle
 - iii) Analyse quantitatively whether the cycle is reversible or Irreversible.

(10 Marks)

- 8 a. Explain the following:
 - i) Compressibility Factor
 - ii) Vander Waals equation of state
 - iii) Law of corresponding states

iv) Compressibility chart.

(08 Marks)

- b. State Gibb's Dalton Law of partial pressures and hence derive an expression for the gas constant 'R' of a mixture of gases.
 (06 Marks)
- c. A mixture of ideal gases consists of 3kg of nitrogen and 54 kg of carbon dioxide at a pressure of 300KPa and a temperature of 20°C Find
 - i) Mole fraction of each constituent
 - ii) The equivalent molecular weight of mixture
 - iii) The equivalent gas constant of the mixture
 - iv) The partial pressure of each gas.

(06 Marks)

Max. Marks: 100

USV I

Third Semester B.E. Degree Examination, June/July 2016
Mechanics of Materials

ASTONERS OF THE STAND AND STAND STANDS OF THE PROPERTY.


Note: Answer any FIVE full questions, selecting atleast TWO questions from each part.

PART-A

- a. State Hooke's law. Sketch the typical stress strain diagram for mild steel indicating all salient points and zones on it. (64 Marks)
 - Derive an expression for the extension of uniformly tapering circular bar subjected to axial load.
 (03 Marks)
 - c. A round bar with stepped portion is subjected to the forces as shown in fig.Q1(c).

 Determine the magnitude of force P, such that net deformation in the bar does not exceed 1mm. E for steel is 200 GPa and Aluminium is 70 GPa. Big end diameter and small end diameter of the tapering bar are 40mm and 12.5mm respectively.

 (08 Marks)



- a. Define Poisson's rario. Derive an expression for volumetric strain of a rectangular bar, subjected to nother stress along the axis. (10 Marks)
 - b. When a bar of 25mm diameter is subjected to a pull of 61kN, the extension on a 50mm gauge length is 0.1mm and decrease in diameter is 0.013mm. Calculate the values of elastic constants E, G, K and μ.
 (10 Marks)
- a. Derive an expression for the normal stress and shear stress on a plane inclined at 'θ' to the vertical axis in a biaxial stress system.
 - At a point in a loaded elastic member, there are normal stresses of 60MPa and 40MPa (both tensile) respectively, at right angles to each other with positive shear stress of 20MPa. Draw the Mohr's circle diagram and find i) Principal stresses and their planes ii) Maximum shear stress and its plane.

 (12 Marks)
- 4 a. Derive an expression for strain energy stored in a plain bar subjected to axial load F.
 - b. Derive an expression for circumferential stress for thin cylinder. (05 Marks)
 (05 Marks)
 - c. A thick cylinder of 500mm inner diameter is subjected to an internal pressure of 9MPa.
 Taking the allowable stress for the material of the cylinder as 40MPa, determine the wall thickness of the cylinder.

PARY .. B

- 5 a. Derive an expression to establish a relationship between the intensity of load, shear force and bending moment.
 - b. Draw the shear force and bending moment diagram for the beam shown in fig. Q5(b).

 Locate the point of contra flexure.

 (L5 Marks)



Fig.Q5(b) 2.5m - 1.5m - 1.5m - 1m - 1m -

- 6 a. List the assumptions made in simple bending theory and establish the relationship between bending stress and radius of curvature.
 - b. A uniform I section beam is 100mm wide and 150mm deep with a flange thickness of 25mm and web thickness of 10mm. The beam is simply supported over a span of 5m. It carries a udl of 83.4kN/m throughout its length. Determine the bending stress in the beam.
- 7 a. Find the expression for the slope and deflection of a cantilever of length L carrying uniformly distributed load over the whole length.

 (10 Marks)
 - b. A beam of length 6mts is simply supported at its ends and carries two point loads of 48kN and 40kN at a distance of 15a and 3m respectively from the left support. Find i) Deflection under each load ii) Maximum deflection iii) Point at which maximum deflection occurs. Take E = 2 × 10° MPa and I = 85 × 10° mm⁴.
- Determine the diameter of the shaft which will transmit 440kW at 280 rpm, if maximum torsional shear stress is to be limited to 40N/mm². Assume G = 84kN/mm². (10 Marks)
 - b. A solid restaid bar of 60mm diameter and 2.5m long is used as a strut. Find the safe compressive load for the strut if i) Both ends are hinged ii) Both ends are fixed.

 Take 3 = 2 × 10⁵ N/mm² and factor of safety = 3. (10 Marks)

物质物质学

4	-	70	Mr.	179	1 4	4	IA	(A
		HA.	/10	84°	A			-

		Third Semester B.E. Degree Examination, June/July 20	16
		Manufacturing Process – I	1
Ti) h	VI POO
111	ne.	3 hrs. Max. Note: Answer FIVE full questions, selecting	Marks: 100
		at least TWO questions from each part.	N:
		, N	UK.
		PART - A	
1	a.	Classify manufacturing processes. Explain factors to be considered while selection	
	1.	for a given application.	(10 Marks
	D.	List the various types of patterns. Explain the different types of pattern alloware sketches.	
		SKEICHES.	(10 Marks
2	a.	List the types of moulding sand. Discuss the desirable properties of moulding s	sand.
			(10 Marks
	b.	With a neat sketch, explain the working principle of Job and Sqeeze moulding	
		1	(10 Marks
3	a.	With a neat sketch, explain the different steps involved in shell moulding	nrocess and
110		mention its advantages and disadvantages.	(10 Marks
	b.	Name the centrifugal casting methods. With a neat sketch, explain the work	
		and horizontal type centrifugal casting processes.	(10 Marks)
4	a.	With a neat sketch, explain coreless induction furnace and mention its merits a	
	b.	Sketch and explain the construction and operation of a cupola.	(10 Marks) (10 Marks)
		and the state of t	(10 mana)
		PART - B	
5	a.	With a neat sketch, explain Thermit welding process. Mention its merits and de	
		Explain with sketches, the forward and backward welding methods.	(10 Marks)
	b.	Explain with sketches, the forward and backward welding methods.	(10 Marks)
6	a.	Explain projection welding process with a sketch. List out the advantages	of projection
Ů	ů.	welding.	(10 Marks)
	b _{	Explain briefly the following with sketches:	(10 mans)
	C	i) Seam welding ii) Explosive welding	(10 Marks)
74			
17	a.	What is meant by HAZ? Explain the various regions of HAZ in low carbo	
,	h	welding.	(10 Marks)
	b.	Discuss the various types of welding defects, their causes and remedies.	(10 Marks)
8	a.	Differentiate between brazing and soldering. List out merits, demerits and a	pplications of
		these two processes.	(10 Marks)
	b.	Explain the magnetic particle inspection method to test welded part with ac	
		limitations.	(10 Marks)

Explain the magnetic particle inspection method to test welded part with advantages and limitations. (10 Marks)