Fourth Semester B.E. Degree Examination, May/June 2010 **Engineering Mathematics - IV**

Time: 3 hrs.

Max. Marks:100

Note: 1. Answer any FIVE full questions, selecting at least TWO questions from each part. 2. Use of statistical tables is permitted.

PART-A

- Find the y(0.1) correct to 6 decimal places by Taylor series method when dy/dx = xy + 1, y(0) = 1.0. (Consider upto 4th degree term).
 - b. Using Runge-Kutta method of order 4, compute y(0.2) for the equation, $y' = y \frac{2x}{y}$, y(0) = 1.0 (Take h = 0.2). (07 Marks)
 - Given that $y' = x^2(1+y)$ and y(1) = 1.0, y(1.1) = 1.233, y(1.2) = 1.548 and y(1.3) = 1.979, compute y(1.4) by Adams-Bashforth method. Apply correct formula twice. (07 Marks)
- Show that Zⁿ is analytic. Hence find its derivative. (06 Marks)
 - Find a bilinear transformation which maps the points 0, 1, i in the Z-plane onto 1 + i, -i, 2-i in the W plane. (07 Marks)
 - c. Find the analytic function u + iv, where u is given to be $u = e^x [(x^2 y^2) \cos y 2xy \sin y]$. (07 Marks)
- a. Derive Couchy's integral formula in the form

$$f(a) = \frac{1}{2\pi i} \int_{c}^{f(z)dz} \frac{1}{z-a}$$
 (06 Marks)

b. Expand $f(z) = \frac{7z^2 + 9z - 18}{z^3 - 9z}$ in the Laurent series that is valid for i) |z| > 3 ii) 0 < |z-3| < 3.

Evaluate
$$\int \tan z \, dz$$
, where c is $|z| = 2.5$

(07 Marks)

c. Evaluate $\int \tan z \, dz$, where c is |z| = 2.5

a. Find the series solution of $\frac{d^2y}{dx^2} + xy = 0$.

b. Express $x^4 + 3x^3 - x^2 + 5x - 2$ in terms of Legendre's polynomials.

c. Reduce the differential equation $x \frac{d^2y}{dx^2} + \alpha \frac{dy}{dx} + k^2xy = 0$ to Bessel's equation. Obtain the solution.

(07 Marks)

Important Note: 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.

2. Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice.

PART-B

Fit a curve of the form $y = ab^x$ for the data given below:

(06 Marks)

.UI	TIT	J	40 10	T trre con	0			
	x		2	4	6	8	10	12
1	v	:	1.8	1.5	1.4	1.1	1.1	0.9

t of correlation for the following data: Find the coefficien

(07 Marks)

ш	CIII	OIC	Ullulati	OH TOL E	TO TOTTO	1111P			
33	X	:	55	56	58	59	60	60	62
W.	v	-	35	38	39	38	44	43	45

In a certain college 25% of boys and 10% of girls are studying mathematics. The girls constitute 60% of the student body.

What is the probability that mathematics is being studied?

- If a student is selected a random and is found to be studying mathematics, find ii) the probability that the student is a girl.
- a. Suppose a random variable X takes the values -3, -1, 2 and 5 with respective probabilities $\frac{2k-3}{10}$, $\frac{k-2}{10}$, $\frac{k-1}{10}$, $\frac{k+1}{10}$. Find the value of k and i) find P[-3 < X < 4] and ii) P[X \le 2]. (06 Marks)
 - Suppose that the student IQ scores form a normal distribution with mean 100 and standard deviation 20. Find the percentage of students whose i) score is less than 80 ii) score falls (07 Marks) between 90 and 140, iii) Score more than 120.
 - Obtain mean and variance of binomial distribution function.

(07 Marks)

- A sample of 1000 days is taken from meteorological records of a certain district and 120 of them are found to be foggy. What are the probable 99% confidence limits to the proportion of foggy days in the district?
 - b. The following table gives the number of bus accidents that occurred during the various days of the week. Find whether the accidents are uniformly distributed over the week, using χ^2 (07 Marks)

Sun | Mon | Tue Wed Thu Fri Sat 9 14 No. of accidents 14 16 8 12 11

- The life X of certain computer is approximately normally distributed with mean 800 hours and standard deviation 40 hours. If a random sample of 30 computers has an average life of 788 hours, test the hypothesis that $\mu = 800$ hours against the alternate hypothesis $\mu \neq 800$ hours at i) 0.5% and 1% level of significance.
- A fair coin is tossed 4 times. Let X denote the number of heads occurring and let Y denote the longest string of heads occurring. Find the joint distribution function of X and Y.

b. A man's gambling luck follows a pattern. If he wins a game the probability of winning the next game is 0.6. However, if he loses a game, the probability of losing the next game is 0.7. There is an even chance that he wins the first game.

i) Find the transition matrix of the Markov process. ii) Find the probability that he wins the third game. iii) Find out how often, in the long run, he wins. (07 Marks)

Explain: i) Transient state ii) Absorbing state and iii) Recurrent state by means of an (07 Marks) example each.

important Note: 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages. 2. Any revealing of identification, appeal to evaluator and /or equations written eg., 42+8 = 50, will be treated as malpractice.

Fourth Semester B.E. Degree Examination, May/June 2010 Advanced Mathematics – II

Time: 3 hrs.

Max. Marks:100

Note: Answer any FIVE full questions.

- 1 a. Find the projection of the line AB on CD where A = (1, 2, 3), B = (-1, 0, 2), C = (1, 4, 2), D = (2, 0, -1).
 - b. Find the angle between two lines whose direction cosines are given by l + 3m + 5n = 0 and 2mn 6nl 5lm = 0. (07 Marks)
 - c. A line makes angles α , β , γ , δ with diagonals of a cube. Prove that $\cos^2 \! \alpha + \cos^2 \! \beta + \cos^2 \! \gamma + \cos^2 \! \delta = \frac{4}{3} \, . \tag{07 Marks}$
- 2 a. Find the equation of the plane passing through the points (3, 1, 2) and (3, 4, 4) and perpendicular to 5x + y + 4z = 0. (06 Marks)
 - b. Show that the points (2, 2, 0), (4, 5, 1), (3, 9, 4) and (0, -1, -1) are coplanar. Find the equation of the plane containing them. (07 Marks)
 - c. Find the equation of a straight line through (7, 2, -3) and perpendicular to each of the lines. $\frac{x-2}{3} = \frac{y-3}{4} = \frac{z-4}{5} \text{ and } \frac{x+2}{4} = \frac{y-3}{5} = \frac{z-4}{6}.$ (07 Marks)
- 3 a. Show that the position vectors of the vertices of a triangle $\vec{a} = 3(\sqrt{3} \ \hat{i} \hat{j})$, $\vec{b} = 6\hat{j}$

$$\vec{c} = 3(\sqrt{3} \hat{i} + \hat{j})$$
 form an isosceles triangle. (06 Marks)

- b. A particle moves along the curve $\vec{r} = 3t^2\hat{i} + (t^3 4t)\hat{j} + (3t + 4)\hat{k}$. Find the components of velocity and acceleration at t = 2 in the direction $\hat{i} 2\hat{j} + 2\hat{k}$. (07 Marks)
- c. Find the angle between the normals to the surfaces $x^2y^2 = z^4$ at (1, 1, 1) and (3, 3, -3). (07 Marks)
- 4 a. Find the directional derivatives of the function $\phi = xyz$ along the direction of the normal to the surface $xy^2 + yz^2 + zx^2 = 3$ at the point (1, 1, 1). (06 Marks)
 - b. Find the div \vec{F} and curl \vec{F} where $\vec{F} = \nabla (x^3 + y^3 + z^3 3xyz)$. (07 Marks)
 - c. If $\overrightarrow{v} = 2xy \, \hat{i} + 3x^2y \, \hat{j} 3ayz \, \hat{k}$ is solenoidal at (1, 1, 1), find a. (07 Marks)
- 5 a. Find the unit normal vector to the surface xy + x + zx = 3 at (1, 1, 1). (06 Marks)

- b. Find the constants 'a', 'b', 'c' such that the vector field (Sin y + az) \hat{i} + (bx Cos y + z) \hat{j} + (x + cy) \hat{k}
 - is irrotational. Also find the scalar field ϕ such that $\stackrel{\rightarrow}{F} = \nabla \varphi$.

- (07 Marks) (07 Marks)
- c. Prove that $\nabla^2 (\log r) = \frac{1}{r^2}$ where $\vec{r} = x\hat{i} + y\hat{j} + z\hat{k}$ and $r = |\vec{r}|$.
- 6 a. Find the Laplace transform of Sin 2t Sin 3t.

(05 Marks)

b. Find $L\left[\frac{(1-e^t)}{t}\right]$.

(05 Marks)

c. Find $L[e^{-t}(3 \sinh 2t - 2 \cosh 3t)]$.

- (05 Marks)
- d. Find the Laplace transform of $f(t) = \begin{cases} t/\lambda & \text{when } 0 < t < \lambda \\ 1 & \text{when } t > \lambda \end{cases}$.
- (05 Marks)

7 a. Evaluate $\int_0^\infty \frac{\sin t}{t} dt$ using Laplace transform.

(05 Marks)

b. Find the inverse Laplace transform of $\frac{1}{(s^2 + 3s + 2)(s + 3)}$

(05 Marks)

c. Find $L^{-1} \left[\frac{s-1}{s^2 - 6s + 25} \right]$.

(05 Marks)

d. Find $L^{-1} \left[log \left\{ \frac{s^2 + 1}{s^2 - s} \right\} \right]$.

(05 Marks)

8 a. Find $L^{-1}\left[\frac{1}{s^2(s+5)}\right]$ using convolution theorem.

- (10 Marks)
- b. Solve the differential equation $y'' + 2y' + y = 6te^{-t}$ under the condition y(0) = 0 = y'(0) using Laplace transform. (10 Marks)

* * * * :

USN 06ME43

Fourth Semester B.E. Degree Examination, May/June 2010 **Applied Thermodynamics**

Time: 3 hrs.

Max. Marks:100

Note: I. Answer any FIVE full questions, selecting at least TWO questions from each part.

2. Use of standard thermodynamic data book, psychrometric chart, steam tables, Mollier chart etc. permitted.

PART - A

- Explain: i) enthalpy of formation; ii) Enthalpy of combustion; iii) Stoichiometric air, iv) Combustion efficiency.
 - Methane (CH₄) is burned with atmospheric air. The analysis of the products on a dry basis is as follows : $CO_2 = 10\%$, $O_2 = 2.37\%$, CO = 0.53% and $N_2 = 87.10\%$. Determine the combustion equation and calculate: i) Air fuel ratio on mole and mass basis; ii) The percent theoretical air.
- a. Describe diesel cycle with P-V and T-S diagrams and derive an expression for efficiency in terms of compression ratio, cut off ratio and ratio of specific heats.
 - The minimum pressure and temperature of the air standard Carnot cycle are 1 bar and 15°C respectively. The pressure after isothermal compression is 3.5 bar and the pressure after isentropic compression is 10.5 bar. Determine: i) Efficiency; ii) Mean effective pressure iii) Power developed if the Carnot engine makes 2 cycles/s. Take for air $R = 0.287 \text{ kJ/kg K} \text{ and } \gamma = 1.4.$
- 3 a. Derive an expression for work ratio in terms of minimum and maximum cycle temperature, ratio of specific heats and pressure ratio for a simple gas turbine cycle.
 - (05 Marks) b. Write short notes on rocket propulsion.
 - c. In a gas turbine plant the intake temperature and pressure are 18°C and 1 bar respectively. Air is compressed to a pressure of 4.2 bar by a compressor. The isentropic efficiency of compressor is 84%. Gas is heated to 650°C in the combustion chamber, where there is a pressure drop of 0.086 bar. The expansion of gas then occurs to atmospheric pressure in the turbine. The thermal efficiency of plant is 18%. Draw the T-S diagram and find the isentropic efficiency of the turbine. Neglect mass of fuel and take properties of gas as that of air. Take $\gamma = 1.4$ for air.
- With h-s diagram, explain the effects of the following on Rankine cycle performance : i) Increasing the pressure of steam; ii) Super heating of steam.
 - Explain with T S diagram the ideal regenerative Rankine cycle.
- Steam at 20 bar, 360°C is expanded in a steam turbine to a pressure of 0.08 bar. It then enters a condenser, where it is condensed to saturated liquid water. Assuming the turbine and feed pump efficiencies as 60% and 90% respectively, determine per kg of steam, the net work, the heat transferred to the working fluid and the Rankine efficiency of the cycle.

(09 Marks)

PART-B

- a. Define the following with respect to a reciprocating air compressor:
 - i) Isothermal efficiency; ii) Isentropic efficiency and iii) Mechanical efficiency. (06 Marks) Derive an expression for volumetric efficiency of compressor in terms of clearance ratio, pressure ratio and index of compression. (05 Marks)

- c. In a two stage reciprocating air compressor, 1.5 kg/min of air is compressed from 1 bar to 25 bar and the index of compression is 1.2. If the work of compression is minimum and the air is cooled in the intercooler so that its temperature is brought back to initial temperature of 15°C, determine: i) Heat rejected during compression; ii) Heat rejected in the intercooler and iii) The power required to drive the compressor. Take for air C_P = 1 kJ/kg K and C_V = 0.714 kJ/kg K.
- a. Derive an expression for the maximum C.O.P of a vapour absorption refrigeration system in terms of generator, condenser and evaporator temperatures. (05 Marks)
 - b. With a neat diagram, explain steam jet refrigeration.
 c. A food storage locker requires a refrigeration system of 2520 kJ/min capacity at an evaporator temperature of -8°C and a condenser temperature of 30°C. The refrigerant R 12, is sub coded by 5°C before entering the expansion valve and the vapour is superheated to 6°C before leaving the evaporator. The compression of refrigerant is by reversible adiabatic process. A two cylinder, vertical single acting compressor with stroke equal to 1.5 times the bore is used and it runs at 900 RPM. Determine: i) Mass of refrigerant to be circulated; ii) Theoretical power required; iii) COP; iv) Heat removed through condenser and v) Theoretical bore and stroke of compressor. Take the liquid refrigerant specific heat as 1.235 kJ/kg K and vapour refrigerant specific heat as 0.733 kJ/kg K. The

properties of refrigerant, R - 12 are as given below: Enthalpy, kJ/kg Entropy, kJ/kg K Specific volume Saturation Vapour Liquid m³/kg, vg Liquid Vapour temperature °C 569.81 4.7577 4.1598 - 8 0.07313 411.30 4.7443 4.2870 586.52 447.88 0.02433 30

(10 Marks)

7 a. Define and then obtain an expression for the following in terms of partial pressures of water vapour and air.

(06 Marks)

i) Specific humidity; ii) Degree of saturation. (06 Marks)
 b. Draw the figure of a psychrometric chart showing the following processes starting from a

common point '0'.

i) Sensible heating; ii) Heating and humidifying process and iii) Cooling and (06 Marks)

- humidifying process.

 c. Saturated air leaving the cooling section of an air conditioned system at 14°C DBT at a rate of 50 m³/min is mixed adiabatically with the outside air at 32°C DBT and 60% RH at a rate of 20 m³/min. Assuming that mixing process occurs at a pressure of 1 bar, determine the specific humidity, the RH, the DBT and the volume flow rate of mixture.

 (08 Marks)
- a. Describe the following as applied to I.C. engines:

 i) Morse test and ii) Energy balance. (08 Marks)
 - b. The following data refer to the test conducted on two stroke diesel engine, run for 20 minutes at full load. Mean effective pressure = 3 bar, speed = 350 RPM, net brake load = 650 N, fuel consumption = 1.52 kg, cooling water = 160 kg, water inlet temperature = 30°C and water outlet temperature = 52°C, air fuel ratio = 32, room temperature = 25°C, exhaust gas temperature = 300°C, cylinder bore = 200 mm, stroke = 280 mm, brake drum diameter = 100 cm, calorific valve fuel = 44000 kJ/kg, steam formed per kg of fuel in the exhaust = 1.35 kg, specific heat of steam in exhaust = 2.09 kJ/kg K, specific heat of dry exhaust gas = 1 kJ/kg K, the pressure of exhaust = 1 bar. Determine:

 i) Indicated power; ii) Brake power; iii) Mechanical efficiency and also write the energy balance on minute basis and percentage.

					-	
USN						4.

Fourth Semester B.E. Degree Examination, May/June 2010 Kinematics of Machines

Time: 3 hrs.

Max. Marks:100

Note: 1. Answer any FIVE full questions,

selecting at least TWO questions from each part.

2. Graphical solutions are to be drawn only in the answer book or in the graph sheets selecting suitable scale if required.

PART-A

1 a. Define with suitable examples:

i) Higher pair

ii) Kinematic chain

iii) Mechanism.

(06 Marks)

b. Explain with the help of neat sketches:

i) Four bar mechanism

ii) Parallel crank mechanism

iii) Elliptical trammel. (14 Marks)

2 Explain with the help of neat sketches:

a. Whitworth quick return motion mechanism

(08 Marks)

b. Roberts mechanism.

(04 Marks)

c. Pantograph mechanism.

(08 Marks)

For the configuration of a slider crank mechanism shown in the Fig. Q(3), find:

i) The acceleration of slider at B,


ii) The acceleration of point E

iii) The angular acceleration of link AB.

The crank rotates at 20 rad/sec counter clock wise.

(20 Marks)

Given: OA = 480 mm; AB = 1600 mm; AE = 450 mm.



a. In a four bar mechanism, the crank AB is 300 mm long, BC = CD = 360 mm, and AD the fixed link is 600 mm long. The crank makes and angle of 60° with the fixed link, and it rotates uniformly at 100 rpm. Locate all the instantaneous centers and find the angular velocity of link BC.

A reciprocating engine mechanism has connecting rod 200 mm long and crank 50 mm long.
 By using KLEIN's construction, determine the velocity and acceleration of piston, and angular acceleration of connecting rod, when the crank has turned through 45° from IDC clockwise and is rotating at 240 rpm.

PART - B

The slider crank of a internal combustion engine mechanism includes a crank of 50 mm length and the connecting rod of 200 mm length. The crank speed of the engine is constant at 300 rpm. Determine the acceleration of the mass centre of the connecting rod by using complex number method, when the crank angle is 30°. The mass centre is located at 50 mm from the crank pin.

(20 Marks)

6 a. State and derive law of gearing.

(08 Marks)

- b. Two 20° involute spur gears mesh externally and give a velocity ratio of 3. Module is 3 mm and the addendum is equal to 1.1 module. If the pinion rotates at 120 rpm, determine:
 - i) The minimum number of teeth on each wheel to avoid interference
 - ii) The number of pairs of teeth in contact.


(12 Marks)

In an epicyclic gear train shown in Fig. Q7 the compound wheels A and B as well as internal wheels C and D rotate independently about the axis O. The wheels E and F rotate on the pins fixed to the arm a. All the wheels are of the same module. The number of teeth on the wheels are

 $T_A = 52$, $T_B = 56$, $T_E = T_F = 36$.

Determine the speed of C if:

- i) The wheel D is fixed and arm a rotates at 200 rpm clockwise
- ii) The wheel D rotates at 20 rpm counter clockwise and the arm a rotates at 200 rpm clockwise. (20 Marks)



The following data relate to a cam profile in which the follower moves with UARM during ascent and descent.

Minimum radius of the cam = 25 mm

Roller diameter = 8 mm

Lift = 30 mm

Offset of follower axis = 10 mm towards right

Angle of ascent = 60°

Angle of descent = 90°

Angle of dwell between ascent and descent = 45°

Speed of the cam = 200 rpm

Draw the profile of the cam.

(20 Marks)

00	B. 46	100	4 00
06	N/I	H .4	1-

USN							(2)				
-----	--	--	--	--	--	--	-----	--	--	--	--

Fourth Semester B.E. Degree Examination, May/June 2010 **Manufacturing Processes - II**

Time: 3 hrs.

Max. Marks:100

Note: Answer any FIVE full questions, selecting at least TWO questions from each part.

PART-A With a neat sketch, explain the various parameters which make up the tool signature of a single point cutting tool. (08 Marks) Derive an expression for the shear angle in orthogonal cutting, in terms of rake angle and b. chip thickness ratio. (08 Marks) Explain the functions of cutting fluids. (04 Marks) Explain the factors which affect the machinbility of a material. (08 Marks) A cast iron bar stock was turned at 50 m/min, for which, the tool life was 3 hours. For the same material, at 40 m/min, the tool life was 5 hours. Find the value of constant c and n in the Taylor's tool life equation. Also, state the type of tool material based on the value of n. (08 Marks) With neat sketches, explain flank and crater wear (04 Marks) With the help of a neat sketch, explain the turret indexing mechanism. 3 (08 Marks) Explain the working of a hydraulic shaper mechanism, with a neat sketch. (08 Marks) Compare shaper and planer in terms of their operation, type of workpiece and applications. (04 Marks) Draw a neat diagram of a radial drilling machine. Name all the parts and explain the principle of operation. (08 Marks) Explain the following operations, with simple sketches: ii) Boring ; iii) Counterboring i) Reaming; iv) Trepanning. (08 Marks) Sketch and explain the nomenclature of a twist drill. (04 Marks) PART-B Differentiate between:

- i) Up - milling and down milling
- Simple indexing and compound indexing.

(08 Marks) 69 teeth of a spur hear are to be cut around the periphery of a cylindrical blank. Recommend

- a suitable indexing mechanism. (06 Marks)
- With a neat sketch, explain the working of an universal dividing head.
- (06 Marks)
- Explain the centreless grinding process with a neat sketch. Also discuss the advantages and limitations of the same. (08 Marks)
 - Write a note on : i) Dressing and truing of grinding wheels ; ii) Wheel balancing. (08 Marks) b.
 - With an example, explain the specifications of a grinding wheel.
- (04 Marks)
- Explain the following, with neat sketches: i) Honing; ii) Lapping.
- (10 Marks)
- List the factors which affect the lapping process. Discuss the influence of these parameters on lapping. (10 Marks)
- Explain the principle of Laser Beam Machining [LBM], with a neat sketch. (08 Marks)
 - With a schematic diagram, explain the ultrasonic machining process [USM].
- (08 Marks)
- Discuss the applications and limitations of non conventional machining processes over conventional machining processes. (04 Marks)

Important Note: 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.

2. Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice.

USN 06ME43

Fourth Semester B.E. Degree Examination, May/June 2010 **Applied Thermodynamics**

Time: 3 hrs.

Max. Marks:100

Note: I. Answer any FIVE full questions, selecting at least TWO questions from each part.

2. Use of standard thermodynamic data book, psychrometric chart, steam tables, Mollier chart etc. permitted.

PART - A

- Explain: i) enthalpy of formation; ii) Enthalpy of combustion; iii) Stoichiometric air, iv) Combustion efficiency.
 - Methane (CH₄) is burned with atmospheric air. The analysis of the products on a dry basis is as follows : $CO_2 = 10\%$, $O_2 = 2.37\%$, CO = 0.53% and $N_2 = 87.10\%$. Determine the combustion equation and calculate: i) Air fuel ratio on mole and mass basis; ii) The percent theoretical air.
- a. Describe diesel cycle with P-V and T-S diagrams and derive an expression for efficiency in terms of compression ratio, cut off ratio and ratio of specific heats.
 - The minimum pressure and temperature of the air standard Carnot cycle are 1 bar and 15°C respectively. The pressure after isothermal compression is 3.5 bar and the pressure after isentropic compression is 10.5 bar. Determine: i) Efficiency; ii) Mean effective pressure iii) Power developed if the Carnot engine makes 2 cycles/s. Take for air $R = 0.287 \text{ kJ/kg K} \text{ and } \gamma = 1.4.$
- 3 a. Derive an expression for work ratio in terms of minimum and maximum cycle temperature, ratio of specific heats and pressure ratio for a simple gas turbine cycle.
 - (05 Marks) b. Write short notes on rocket propulsion.
 - c. In a gas turbine plant the intake temperature and pressure are 18°C and 1 bar respectively. Air is compressed to a pressure of 4.2 bar by a compressor. The isentropic efficiency of compressor is 84%. Gas is heated to 650°C in the combustion chamber, where there is a pressure drop of 0.086 bar. The expansion of gas then occurs to atmospheric pressure in the turbine. The thermal efficiency of plant is 18%. Draw the T-S diagram and find the isentropic efficiency of the turbine. Neglect mass of fuel and take properties of gas as that of air. Take $\gamma = 1.4$ for air.
- With h-s diagram, explain the effects of the following on Rankine cycle performance : i) Increasing the pressure of steam; ii) Super heating of steam.
 - Explain with T S diagram the ideal regenerative Rankine cycle.
- Steam at 20 bar, 360°C is expanded in a steam turbine to a pressure of 0.08 bar. It then enters a condenser, where it is condensed to saturated liquid water. Assuming the turbine and feed pump efficiencies as 60% and 90% respectively, determine per kg of steam, the net work, the heat transferred to the working fluid and the Rankine efficiency of the cycle.

(09 Marks)

PART-B

- a. Define the following with respect to a reciprocating air compressor:
 - i) Isothermal efficiency; ii) Isentropic efficiency and iii) Mechanical efficiency. (06 Marks) Derive an expression for volumetric efficiency of compressor in terms of clearance ratio, pressure ratio and index of compression. (05 Marks)