

USN

--	--	--	--	--	--	--	--	--	--

MATDIP401

**Fourth Semester B.E. Degree Examination, December 2012**

**Advanced Mathematics – II**

Time: 3 hrs.

Max. Marks:100

**Note: Answer any FIVE full questions.**

- 1** a. Prove that the angle between two lines whose direction cosines are  $(\ell_1, m_1, n_1)$  and  $(\ell_2, m_2, n_2)$  is  $\cos \theta = \ell_1\ell_2 + m_1m_2 + n_1n_2$ . (06 Marks)
- b. Find the projection of the line AB on CD where  $A = (1, 3, 5)$ ,  $B = (6, 4, 3)$ ,  $C = (2, -1, 4)$  and  $D = (0, 1, 5)$ . (07 Marks)
- c. Find the angle between any two diagonals of cube. (07 Marks)
- 2** a. Find the equation of the plane passing through the points  $(3, 1, 2)$  and  $(3, 4, 4)$  and perpendicular to  $5x + y + 4z = 0$ . (06 Marks)
- b. Show that the points  $(0, -1, 0)$ ,  $(2, 1, -1)$ ,  $(1, 1, 1)$  and  $(3, 3, 0)$  are coplanar. (07 Marks)
- c. Find the equation of the plane through the points  $(1, 0, -1)$ ,  $(3, 2, 2)$  and parallel to the line  $\frac{x-1}{1} = \frac{1-y}{2} = \frac{z-2}{3}$ . (07 Marks)
- 3** a. Find the value of  $\lambda$  such that the vectors  $\lambda i + j + 2k$ ,  $2i - 3j + 4k$  and  $i + 2j - k$  are coplanar. (06 Marks)
- b. If  $\vec{a} = 4i + 2j - k$ ,  $\vec{b} = 2i - j$  and  $\vec{c} = j - 3k$ , find (i)  $(\vec{a} \times \vec{b}) \cdot (\vec{b} \times \vec{c})$ , (ii)  $(\vec{a} \times \vec{b}) \times (\vec{b} \times \vec{c})$ . (07 Marks)
- c. Find the cosine and sine of the angle between the vectors  $2i - j + 3k$  and  $i - 2j + 2k$ . (07 Marks)
- 4** a. Find the components of velocity and acceleration at  $t = 2$  on the curve,  $\vec{r} = (t^2 + 1)i + (4t - 3)j + (2t^2 - 6t)k$  in the direction of  $i + 2j + 2k$ . (06 Marks)
- b. Find the angle between the tangents to the curve  $\vec{r} = \left\{ t - \frac{t^3}{3} \right\} i + t^2 j + \left\{ t + \frac{t^3}{3} \right\} k$  at  $t = \pm 3$ . (07 Marks)
- c. Find the directional derivative of  $\phi = x^2yz + 4xz^2$  at  $(1, -2, -1)$  along  $2i - j - 2k$ . (07 Marks)
- 5** a. If  $\vec{F} = \nabla(xy^3z^2)$ , find  $\text{div } \vec{F}$  and  $\text{curl } \vec{F}$  at the point  $(1, -1, 1)$ . (06 Marks)
- b. Show that  $\vec{F} = (y + z)i + (z + x)j + (x + y)k$  is irrotational. Also find a scalar function  $\phi$  such that  $\vec{F} = \nabla\phi$ . (07 Marks)
- c. Prove that  $\nabla^2(\log r) = \frac{1}{r^2}$  where  $\vec{r} = xi + yj + zk$  and  $r = |\vec{r}|$ . (07 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.  
2. Any revealing of identification, appeal to evaluator and/or equations written eg. 42+8 = 50, will be treated as malpractice.

**MATDIP401**

- 6 a. Find Laplace transform of  $(2t + 3)^2$ . (05 Marks)  
b. Find Laplace transform of  $e^{2t} \cos 3t$ . (05 Marks)  
c. Find  $L\left\{\frac{\cos 2t - \cos 3t}{t}\right\}$ . (05 Marks)  
d. Using Laplace transform, evaluate  $\int_0^{\infty} e^{-2t} t \cos t \, dt$ . (05 Marks)
- 7 a. Find inverse Laplace transform of  $\frac{s}{s^2 + 4s + 13}$ . (06 Marks)  
b. Find  $L^{-1}\left\{\frac{1}{(s^2 + 3s + 2)(s + 3)}\right\}$ . (07 Marks)  
c. Find  $L^{-1}\left\{\log\left(\frac{s^2 + 1}{s^2 + s}\right)\right\}$ . (07 Marks)
- 8 a. Solve the differential equation  $y'' + 4y' + 3y = e^{-t}$  with  $y(0) = 1$  and  $y'(0) = 1$  by using Laplace transforms. (10 Marks)  
b. Solve by using Laplace transforms  $\frac{dx}{dt} - 2y = \cos 2t$ ,  $\frac{dy}{dt} + 2x = \sin 2t$  with  $x = 1$ ,  $y = 0$  at  $t = 0$ . (10 Marks)

\*\*\*\*\*

USN

--	--	--	--	--	--	--	--	--	--

10MAT41

**Fourth Semester B.E. Degree Examination, December 2012**

**Engineering Mathematics – IV**

Time: 3 hrs.

Max. Marks:100

**Note: Answer FIVE full questions, selecting at least TWO questions from each part.**

**PART – A**

- 1 a. Using the Taylor's series method, solve the initial value problem  $\frac{dy}{dx} = x^2y - 1$ ,  $y(0) = 1$  at the point  $x = 0.1$  (06 Marks)
- b. Employ the fourth order Runge-Kutta method to solve  $\frac{dy}{dx} = \frac{y^2 - x^2}{y^2 + x^2}$ ,  $y(0) = 1$  at the points  $x = 0.2$  and  $x = 0.4$ . Take  $h = 0.2$ . (07 Marks)
- c. Given  $\frac{dy}{dx} = xy + y^2$ ,  $y(0) = 1$ ,  $y(0.1) = 1.1169$ ,  $y(0.2) = 1.2773$ ,  $y(0.3) = 1.5049$ . Find  $y(0.4)$  using the Milne's predictor-corrector method. Apply the corrector formula twice. (07 Marks)
- 2 a. Employing the Picard's method, obtain the second order approximate solution of the following problem at  $x = 0.2$ .  

$$\frac{dy}{dx} = x + yz, \quad \frac{dz}{dx} = y + zx, \quad y(0) = 1, \quad z(0) = -1. \quad (06 \text{ Marks})$$
- b. Using the Runge-Kutta method, find the solution at  $x = 0.1$  of the differential equation  $\frac{d^2y}{dx^2} - x^2 \frac{dy}{dx} - 2xy = 1$  under the conditions  $y(0) = 1$ ,  $y'(0) = 0$ . Take step length  $h = 0.1$ . (07 Marks)
- c. Using the Milne's method, obtain an approximate solution at the point  $x = 0.4$  of the problem  $\frac{d^2y}{dx^2} + 3x \frac{dy}{dx} - 6y = 0$ ,  $y(0) = 1$ ,  $y'(0) = 0.1$ . Given that  $y(0.1) = 1.03995$ ,  $y(0.2) = 1.138036$ ,  $y(0.3) = 1.29865$ ,  $y'(0.1) = 0.6955$ ,  $y'(0.2) = 1.258$ ,  $y'(0.3) = 1.873$ . (07 Marks)
- 3 a. If  $f(z) = u + iv$  is an analytic function, then prove that  $\left(\frac{\partial}{\partial x} |f(z)|\right)^2 + \left(\frac{\partial}{\partial y} |f(z)|\right)^2 = |f'(z)|^2$ . (06 Marks)
- b. Find an analytic function whose imaginary part is  $v = e^x \{(x^2 - y^2) \cos y - 2xy \sin y\}$ . (07 Marks)
- c. If  $f(z) = u(r, \theta) + iv(r, \theta)$  is an analytic function, show that  $u$  and  $v$  satisfy the equation  $\frac{\partial^2 \phi}{\partial r^2} + \frac{1}{r} \frac{\partial \phi}{\partial r} + \frac{1}{r^2} \frac{\partial^2 \phi}{\partial \theta^2} = 0$ . (07 Marks)
- 4 a. Find the bilinear transformation that maps the points  $1, i, -1$  onto the points  $i, 0, -i$  respectively. (06 Marks)
- b. Discuss the transformation  $W = e^z$ . (07 Marks)
- c. Evaluate  $\int_C \frac{\sin \pi z^2 + \cos \pi z^2}{(z-1)^2(z-2)} dz$ , where  $C$  is the circle  $|z| = 3$ . (07 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.  
2. Any revealing of identification, appeal to evaluator and/or equations written eg. 42+8 = 50, will be treated as malpractice.

**PART – B**

- 5 a. Express the polynomial  $2x^3 - x^2 - 3x + 2$  in terms of Legendre polynomials. (06 Marks)
- b. Obtain the series solution of Bessel's differential equation  $x^2 \frac{d^2 y}{dx^2} + x \frac{dy}{dx} + (x^2 - n^2)y = 0$  in the form  $y = AJ_n(x) + BJ_{-n}(x)$ . (07 Marks)
- c. Derive Rodrigue's formula  $P_n(x) = \frac{1}{2^n n!} \frac{d^n}{dx^n} (x^2 - 1)^n$ . (07 Marks)
- 6 a. State the axioms of probability. For any two events A and B, prove that  $P(A \cup B) = P(A) + P(B) - P(A \cap B)$ . (06 Marks)
- b. A bag contains 10 white balls and 3 red balls while another bag contains 3 white balls and 5 red balls. Two balls are drawn at ransom from the first bag and put in the second bag and then a ball is drawn at random from the second bag. What is the probability that it is a white ball? (07 Marks)
- c. In a bolt factory there are four machines A, B, C, D manufacturing respectively 20%, 15%, 25% 40% of the total production. Out of these 5%, 4%, 3% and 2% respectively are defective. A bolt is drawn at random from the production and is found to be defective. Find the probability that it was manufactured by A or D. (07 Marks)
- 7 a. The probability distribution of a finite random variable X is given by the following table:
- |          |     |    |     |    |     |   |
|----------|-----|----|-----|----|-----|---|
| $x_i$    | -2  | -1 | 0   | 1  | 2   | 3 |
| $p(x_i)$ | 0.1 | k  | 0.2 | 2k | 0.3 | k |
- Determine the value of k and find the mean, variance and standard deviation. (06 Marks)
- b. The probability that a pen manufactured by a company will be defective is 0.1. If 12 such pens are selected, find the probability that (i) exactly 2 will be defective, (ii) at least 2 will be defective, (iii) none will be defective. (07 Marks)
- c. In a normal distribution, 31% of the items are under 45 and 8% are over 64. Find the mean and standard deviation, given that  $A(0.5) = 0.19$  and  $A(1.4) = 0.42$ , where  $A(z)$  is the area under the standard normal curve from 0 to  $z > 0$ . (07 Marks)
- 8 a. A biased coin is tossed 500 times and head turns up 120 times. Find the 95% confidence limits for the proportion of heads turning up in infinitely many tosses. (Given that  $z_c = 1.96$ ) (06 Marks)
- b. A certain stimulus administered to each of 12 patients resulted in the following change in blood pressure:  
5, 2, 8, -1, 3, 0, 6, -2, 1, 5, 0, 4 (in appropriate unit)  
Can it be concluded that, on the whole, the stimulus will change the blood pressure. Use  $t_{0.05}(11) = 2.201$ . (07 Marks)
- c. A die is thrown 60 times and the frequency distribution for the number appearing on the face x is given by the following table:
- |           |    |   |   |   |    |    |
|-----------|----|---|---|---|----|----|
| x         | 1  | 2 | 3 | 4 | 5  | 6  |
| Frequency | 15 | 6 | 4 | 7 | 11 | 17 |
- Test the hypothesis that the die is unbiased.  
(Given that  $\chi_{0.05}^2(5) = 11.07$  and  $\chi_{0.01}^2(5) = 15.09$ ) (07 Marks)

\* \* \* \* \*



USN

--	--	--	--	--	--	--	--	--	--

10ME42B/AU42B/PM42/TL42

**Fourth Semester B.E. Degree Examination, December 2012**  
**Mechanical Measurement and Metrology**

Time: 3 hrs.

Max. Marks:100

**Note:** Answer any FIVE full questions, selecting atleast TWO questions from each part.

**PART – A**

1.
  - a. Explain international prototype meter, with sketch. (06 Marks)
  - b. What are Airy points? Where are the airy points located on 600mm bar? (04 Marks)
  - c. Using a set of M112 slip gauges, build the following dimensions : (10 Marks)
    - i) 49.3115      ii) 68.208      iii) 52.496      iv) 78.3665.
2.
  - a. Explain Indian Standard (IS919 – 1963) along with the concept of limit, size and tolerance, with the neat diagram. (05 Marks)
  - b. Compare the following : (05 Marks)
    - i) Build – up tolerance and Compound tolerance      ii) Interchangeability and selective assembly.
  - c. State the Taylor’s principle and design the gauges to measure the fit designated by  $50E_4 f_8$  which is produced by mass production. Given
    - i) 50mm lies between 30 to 50mm
    - ii)  $i = 0.45\sqrt[3]{D} + 0.001D$       iii) Fundamental deviation for hole is  $11D^{0.41}$ .
    - iv) Fundamental deviation for shaft is  $-5.5D^{0.41}$ .
    - v) Tolerance grade for IT4 and IT8 is “5i” and “25i”.
 Write the type of fit for  $50E_4 f_8$  and express the value in unilateral dimension. (10 Marks)
3.
  - a. Explain the working of a sigma comparator, with a sketch. (10 Marks)
  - b. With a neat diagram, explain the principle of working of LVDT. (06 Marks)
  - c. Select the sizes of angle gauges required to build, the angle  $570\ 34' 9''$ , show the arrangement of gauges. (04 Marks)
4.
  - a. With a neat sketch, explain the working principle of an auto collimeter. (06 Marks)
  - b. Define “effective diameter” and “best size wire”. Derive an expression to determine the best size wire diameter. (08 Marks)
  - c. How do you measure the chord thickness of spur gear tooth using gear tooth vernier? Explain with a sketch. (06 Marks)

**PART – B**

5.
  - a. Explain the concept of “generalized measurement system”, with block diagram taking the working of bourdon pressure gauge as an example. (08 Marks)
  - b. Explain any three system response characteristics. (06 Marks)
  - c. Classify and sub classify errors. Explain briefly each type of error, with example and how it can be reduced. (06 Marks)
6.
  - a. Sketch and explain the platform balance method of measuring force. (06 Marks)
  - b. With a neat sketch, explain the working of hydraulic dynamometer. (06 Marks)

**10ME42B/AU42B/PM42/TL42**

- c. Write a note on X – Y plotters. (08 Marks)
- 7 a. Explain the inherent problem present in mechanical intermediate modifying systems. (06 Marks)
- b. Explain the working of “Cathode Ray Oscilloscope”. (06 Marks)
- c. What are electronic amplifiers? With a neat sketch, explain chopper amplifier. (08 Marks)
- 8 a. State and explain the laws of thermocouple. (06 Marks)
- b. Explain the principle and working of unbonded and bonded electrical strain gauges. (06 Marks)
- c. Write notes on any two of the following :
- i) Gauge factor and cross sensitivity.
  - ii) Temperature compensation in resistance type strain gauges.
  - iii) Calibration of strain gauges.
  - iv) Wheat stone bridge arrangement for strain measurement. (08 Marks)

\*\*\*\*\*





**PART – B**

- 5 a. Show that for a multistage compressor  $Z = \left(\frac{P_{x+1}}{P_1}\right)^{\frac{1}{x}}$  where  $Z$  = stage pressure ratio,  $x$  = number of stages,  $\frac{P_{x+1}}{P_1}$  = overall pressure ratio. (08 Marks)
- b. What are the advantages of multistage compressor? (04 Marks)
- c. Air at standard atmospheric conditions is compressed and delivered to a receiver of 0.4 m diameter and 1 m long until a final pressure of 10 atm is reached. Assuming ideal conditions with no valve pressure drops, compute the power needed to drive the compressor for (i) isothermal compression, (ii) polytropic compression with  $n = 1.32$ .  
Assume that the receiver temperature is maintained atmospheric throughout and filling takes place in 5 min. atmospheric temperature is 25°C. Also calculate isothermal efficiency of the compressor. (08 Marks)
- 6 a. With a neat block diagram and T-S diagram, explain how inter-cooling increases thermal efficiency of gas turbine plant. (06 Marks)
- b. With a neat sketch, explain the working of Ram Jet. (04 Marks)
- c. In a gas turbine plant working on Brayton cycle with a regenerator of 75% effectiveness, the air at the inlet to the compressor is at 0.1 MPa, 30°C, the pressure ratio is 6 and the maximum cycle temperature is 900°C. If the turbine and compressor have each an efficiency of 80%, find the percentage increase in the cycle efficiency due to regeneration. (10 Marks)
- 7 a. With a neat schematic diagram, explain the working of steam jet refrigeration. (10 Marks)
- b. A Freon-12 refrigerator producing a cooling effect of 20 kJ/s operates on a vapour compression cycle with pressure limits of 1.509 bar and 9.607 bar. The vapour leaves the evaporator dry saturated and there is no under-cooling. Determine the power required by the machine. If the compressor operates at 300 rpm and has a clearance volume of 3% of stroke volume, determine the piston displacement of the compressor. Assume volumetric efficiency of compressor as 88%.

Properties of Freon – 12:

Temperature °C	P bar	$V_g$ m <sup>3</sup> /kg	$h_f$ kJ/kg	$h_g$ kJ/kg	$s_f$ kJ/kgK	$s_g$ kJ/kgK	$c_p$ kJ/kgK
-20	1.509	0.1088	17.8	178.61	0.073	0.7082	--
40	9.607	--	74.53	203.05	0.2716	0.683	0.747

(10 Marks)

- 8 a. With a neat schematic diagram, explain the working of winter air conditioning system. Represent the processes on psychrometric chart. (10 Marks)
- b. For a hall to be air conditioned, the following conditions are given:  
Out door condition = 40°C DBT, 20°C WBT  
Required comfort condition = 20°C DBT, 60% RH  
Seating capacity of the hall = 1500  
Amount of outdoor air supplied = 0.3 m<sup>3</sup>/min/person  
If the required condition is achieved first by adiabatic humidification and then by cooling, estimate: i) capacity of the cooling coil in TOR, ii) capacity of the humidifier in kg/h, iii) condition of air after adiabatic humidification. (10 Marks)

\* \* \* \* \*



USN

--	--	--	--	--	--	--	--	--	--

10ME/AU/PM/TL44

**Fourth Semester B.E. Degree Examination, December 2012**  
**Kinematics of Machines**

Time: 3 hrs.

Max. Marks: 100

**Note:** 1. Answer FIVE full questions, selecting at least TWO questions from each part.  
 2. Graphical solution may be obtained either on graph sheet or on the answer book itself.

**PART – A**

- 1 a. Differentiate between:
  - i) Degree of freedom and mobility of mechanism. (08 Marks)
  - ii) Kinematic chain and kinematic pair. (12 Marks)
- b. Explain with a neat sketch, the single slider mechanism and its three inversions. (10 Marks)
- 2 a. Define 'Exact straight line motion'. Prove that a point on the Peaucellier's mechanism traces an exact straight line. (10 Marks)
- b. Define 'Quick return motion' in a mechanism and using a neat sketch explain the drag link mechanism. (10 Marks)
- 3 In the mechanism shown in Fig.Q3, the slider 'C' is moving to the right with a velocity of 1 m/sec and an acceleration of  $2.5 \text{ m/sec}^2$ . The dimension of the various links are  $AB = 3 \text{ m}$ , inclined at  $45^\circ$  with the vertical and  $BC = 1.5 \text{ m}$  inclined at  $45^\circ$  with the horizontal. Determine
  - i) The magnitude of vertical and horizontal component of the acceleration of the points 'B' and
  - ii) The angular acceleration of links AB and BC. (20 Marks)




Fig.Q3

- 4 a. State and prove 'Kennedy's theorem'. (06 Marks)
- b. Explain the analysis of velocity and acceleration of a piston in a single slider mechanism using Klein's construction. (06 Marks)
- c. For a pin jointed four bar mechanism having the following dimensions. Fixed link  $AD = 4 \text{ m}$ , Driving link  $AB = 1.5 \text{ m}$ , Driven link  $CD = 2.5 \text{ m}$ , connecting rod  $BC = 3 \text{ m}$  and angle  $BAD$  is  $60^\circ$ . Link AB rotates at 25 rpm. Determine using instantaneous centre method i) Angular velocity of link 'CD' and ii) Angular velocity of link BC. (08 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.  
 2. Any revealing of identification, appeal to evaluator and /or equations written eg.  $42+8 = 50$ , will be treated as malpractice.

**PART – B**

- 5 The crank of an engine is 200 mm long and the ratio of connecting rod length to crank radius is 4. Determine the acceleration of the piston when the crank has turned through  $45^\circ$  from the inner dead centre position and moving at 240 rpm by complex algebra method. (20 Marks)
- 6 a. Derive an equation to determine the length of path of contact by a pair of mating spur gear. (08 Marks)  
b. Two mating spur gears have 30 and 40 involute teeth of module 12 mm and  $20^\circ$  obliquity. The addendum on each wheel is to be made of such a length that the link of contact on each side of pitch point has half the maximum possible length. Determine the addendum height for each gear wheel and length of line of contact. (12 Marks)
- 7 In an epicyclic gear train, the internal gears A, B and the compound gears C - D rotates independently about a common axis O. The gears E and F rotates on pins fixed to the arm 'G' which turns independently about the axis 'O'. E gears with A and C, F gears with B and D. All gears have the same module. The number of teeth on gears C, D, E and F are 28, 26, 18 and 18 respectively.  
i) Sketch the arrangement.  
ii) If 'G' makes 100 rpm clockwise and gear 'A' is fixed, find speed of gear 'B'.  
iii) If 'G' makes 100 rpm clockwise and gear 'A' makes 10 rpm C.C.W. find the speed of gear 'B'. (20 Marks)
- 8 A roller follower cam with a roller diameter of 10 mm is rotating clockwise. The lift of the cam is 30 mm and the axis of the follower is offset to the right by a distance of 5 mm. The follower completes the lift with SHM during  $120^\circ$  of cam rotation. The dwell at lift is  $60^\circ$  of cam rotation. First half of the fall takes place with constant velocity and second half with UARM during  $120^\circ$  of cam rotation. The rest is the dwell at fall. Draw the cam profile. (20 Marks)

\* \* \* \* \*

USN

--	--	--	--	--	--	--	--	--	--

10ME/AU/TL45

**Fourth Semester B.E. Degree Examination, December 2012**  
**Manufacturing Process – II**

Time: 3 hrs.

Max. Marks:100

**Note: Answer FIVE full questions, selecting  
at least TWO questions from each part.**

**PART – A**

- 1 a. Write short notes on the following:
  - i) Rake angles; ii) Orthogonal and oblique cutting; iii) Tool signature with example. (16 Marks)
  - b. During orthogonal machining with a rake angle of  $10^\circ$  and uncut thickness of 0.125mm. The average thickness of chip is 0.43mm. Evaluate cutting ratio and shear angle. (04 Marks)
- 2 a. What do you understand by i) 18 – 4 – 1 HSS; ii) 6 – 6 – 4 – 2 HSS. (04 Marks)
- b. With neat sketch, explain various heat generation zones during metal cutting along with heat distribution curve. (10 Marks)
- c. With the help of neat sketch, explain Tool-Work thermocouple technique to measure tool-tip temperature. (06 Marks)
- 3 a. With necessary sketches, explain various stages involved to produce hexagonal bolt using turret. (08 Marks)
- b. Explain with neat sketch open and cross belt drive mechanism of a planer. (08 Marks)
- c. A shaper makes 36 complete strokes/min and the stroke length is 30 cm. The shaper has a cutting stroke to return stroke ratio of 3:2. Determine the cutting speed in m/min. (04 Marks)
- 4 a. With a neat sketch, explain in detail the nomenclature of twist drill. (08 Marks)
- b. Explain with neat sketch, the working principle of radial drilling machine. (08 Marks)
- c. Give the advantages and disadvantages of CNC machines. (04 Marks)

**PART – B**

- 5 a. Explain following milling operations with relevant sketches:
  - i) Form milling; ii) Gang milling; iii) Straddle milling. (10 Marks)
  - b. Differentiate upmilling and down milling with sketches. (05 Marks)
  - c. With the help of crank mechanism explain simple indexing. (05 Marks)
- 6 a. Mention various bonding processes and explain vitrified and resinoid bonding process. (08 Marks)
- b. Write short notes on the following:
  - i) Grade; ii) Marketing systems for grinding wheel; iii) Structure. (12 Marks)
- 7 a. With the help of neat sketch explain pull broach. (10 Marks)
- b. Mention in detail the advantages of honing and lapping process along with the uses of the processes. (10 Marks)
- 8 a. Explain laser beam machining process with relevant sketches of formation of laser beam and energy level diagram. (10 Marks)
- b. Explain in detail with respect to AJM element influence on AJM process. (10 Marks)

\* \* \* \* \*

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.  
2. Any revealing of identification, appeal to evaluator and /or equations written eg. 42+8 = 50, will be treated as malpractice.



USN

--	--	--	--	--	--	--	--	--	--

10ME/AU46B

**Fourth Semester B.E. Degree Examination, December 2012**  
**Fluid Mechanics**

Time: 3 hrs.

Max. Marks:100

**Note: Answer FIVE full questions, selecting at least TWO questions from each part.**

**PART – A**

- 1 a. Distinguish between the following and mention their units:
    - i) Specific weight and mass density.
    - ii) Surface tension and capillarity.
    - iii) Dynamic viscosity and kinematic viscosity. (09 Marks)
  - b. Obtain an expression for capillarity rise. (03 Marks)
  - c. In a 50mm long journal bearing arrangement, the clearance between the two at concentric condition is 0.1mm. The shaft is 2.0mm in diameter and rotates at 3000 rpm. The dynamic viscosity of the lubricant used is 0.01 pas and the velocity variation in the lubricant is linear. Considering the lubricant to be Newtonian, calculate the frictional torque the journal has to overcome and the corresponding power loss. (08 Marks)
- 2 a. Obtain an expression for the force exerted and centre of pressure for a completely submerged inclined plane surface. (10 Marks)
  - b. A cylindrical roller gate 3m in diameter is placed on the dam in such a way that water is just going to spill. If the length of the gate is 6m, calculate the magnitude and direction of the resultant force due to water acting on it. (10 Marks)
- 3 a. Define the terms:
    - i) Centre of buoyancy
    - ii) Metacentre
    - iii) Metacentric height. (04 Marks)
  - b. A solid cylinder of diameter 4m has a height of 3m. Find the metacentric height of the cylinder when it is floating in water with its axis vertical. Take specific gravity of the cylinder as 0.6. (08 Marks)
  - c. Explain the different types of fluid flows. (08 Marks)
- 4 a. Obtain an expression for Bernoulli's equation from Euler's equation of motion and also mention the assumptions made. (10 Marks)
  - b. A pipe 300m long has a slope of 1 in 100 and tapers from 1m diameter at the high end to 0.5m at the low end. Quantity of water flowing is 5400 litres per minute. If the pressure at the high end is 70 kPa, find the pressure at the low end. (10 Marks)

**PART – B**

- 5 a. Derive an expression for discharge through venturimeter. (10 Marks)
- b. The resisting force 'F' of a supersonic plane during flight can be considered as dependent upon the length of aircraft 'L', velocity 'v', air viscosity ' $\mu$ ', air density ' $\rho$ ' and bulk modulus of air 'K'. Express the functional relationship between these variables and the resisting force. (10 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.  
 2. Any revealing of identification, appeal to evaluator and/or equations written eg. 42+8 = 50, will be treated as malpractice.

- 6 a. Derive Darcy-Weisbach equation for loss of head in a pipe due to friction. (10 Marks)  
b. A 5cm diameter pipe takes off abruptly from a large tank and runs 8m, then expands abruptly to 10cm diameter and runs 45m, and next discharge directly in to open air with a velocity of 1.5 m/s. Compute the necessary height of water surface above the point discharge. Take  $f = 0.0065$  in the Darcy equation. (10 Marks)
- 7 a. Prove that the maximum velocity in a circular pipe for viscous flow is equal to two times the average velocity of the flow. (10 Marks)  
b. An oil of viscosity 10 poise flow between two parallel fixed plates which are kept at a distance of 50mm apart. Find the rate of flow of oil between the plates if the drop of pressure in a length of 1.2m be  $0.3 \text{ N/cm}^2$ . The width of the plates is 200mm. (10 Marks)
- 8 a. Define:  
i) Lift and drag.  
ii) Displacement, momentum and energy thickness.  
iii) Mach number, mach cone and mach angle. (10 Marks)  
b. A man descends to the ground from an aeroplane with the help of a parachute while is hemispherical having a diameter of 4m against the resistance of air with a uniform velocity of 25 m/s. Find the weight of the man if the weight of the parachute is 9.81 N. Take  $C_D = 0.6$  and density of air =  $1.25 \text{ kg/m}^3$ . (10 Marks)

\* \* \* \* \*